

Sample Questions

Fundamentals of Physics

1. Identify the parameter on which the capacitance of a parallel-plate capacitor is dependent on.
 - a. Area of the plate
 - b. Distance between the plates
 - c. Material of the plate
 - d. All of the above

2. What can we say about the magnetic field inside an infinitely long, straight, thin walled pipe through which current 'I' flows along its length?
 - a. The magnetic field at any point is time-dependent.
 - b. The magnetic field is different at different points inside the pipe.
 - c. The magnetic field at any point inside the pipe is zero.
 - d. The magnetic field at all the points inside the pipe is same, but nonzero.

3. Statement 1 - Potential difference across the battery is always equal to the emf of the battery.
Statement 2 - Work done by the battery per unit charge is called the emf of the battery.
 - a. Statement 1 is true but Statement 2 is false.
 - b. Statement 1 is false but Statement 2 is true.
 - c. Statements 1 and 2 are true and Statement 2 is the correct explanation of Statement 1.
 - d. Statements 1 and 2 are true but Statement 2 is not the correct explanation of Statement 1.

4. Which mechanism(s) is/are responsible for the sea breezes that occur during day and night at the shore?
 - a. Convection
 - b. Radiation
 - c. Conduction
 - d. Convection and Radiation

5. A train traveling with a certain velocity passes a stationary observer. The apparent frequency of the whistle of the engine changes in the ratio 7:4 as it passes the observer. If the velocity of the sound is 330m/s, then the velocity of the engine is _____.
 - a. 40m/s
 - b. 90 m/s
 - c. 340m/s
 - d. 180m/s

6. The interpretation of the given graph by 4 students is as follows:


Student 1: 'A' may be an isotherm while 'B' may be adiabatic.

Student 2: Both 'A' and 'B' may be isotherms.

Student 3: 'A' may be adiabatic while 'B' may be an isotherm.

Student 4: 'A' is isochoric while 'B' may be adiabatic.

Which student has interpreted it correctly?




- a. Student 1
- b. Student 2
- c. Student 3
- d. Student 4

7. Let the decay constant of a radioactive sample be k . Identify the correct combination.

- | | |
|---|---|
| a. Half-life: $(\ln 2)/k$
Mean-life: k | b. Half-life: $(\ln 2)/k$
Mean-life: $1/k$ |
| c. Half-life: $1/k$
Mean-life: $(\ln 2)/k$ | d. Half-life: $k/(\ln 2)$
Mean-life: $1/k$ |

8. A man pulls a box of mass m_1 with force F . Let g be the acceleration of gravity. What will be the normal force acting on the box be?



- a. $m_1g + F.\cos(\theta)$
- b. $F.\sin(\theta)$
- c. $m_1g - F.\sin(\theta)$
- d. $\mu(m_1g - F \sin(\theta))$

9. Two billiard balls collide during a game. After collision, the first ball slowly comes to a halt, and the second ball starts moving with a greater speed. This is due to _____.

- a. law of conservation of mass
- b. law of conservation of energy
- c. law of conservation of momentum
- d. law of conservation of matter